

Parks, Recreation & Culture

REQUEST FOR PROPOSALS

Supply and Install Playground Equipment, Valley Gate
RFP50207 - Addendum 1

Release date: July 31, 2018

Proposals will be received up to
3:00:00 pm local time on Tuesday, August 21, 2018

Contact: Michael Hatfield
Procurement Officer
Municipality of East Hants
Telephone: (902) 883-7098, Ext 232
Email: mhatfield@easthants.ca



EAST HANTS
We live it!

Contents

1. CLARIFICATIONS 3



1. CLARIFICATIONS

- 1.1. Sled System footings may include welded or bolted systems, provided such systems are acceptable to East Hants, that they are installed in accordance with the manufacturer's instructions, and that sled systems are not specifically excluded (such as for swings).

Section 2.1.7. is hereby updated as follows:

- 2.1.7. Footing for playground equipment to be "sled System" footings and subject to the following:

- 2.1.7.1. A layout drawing showing the footing shall be provided for East Hants Representative for review prior to installation. Layout of all equipment is subject to review and approval of the East Hants Representative. East Hants will consider both bolted and welded systems.
- 2.1.7.2. All sled systems using welded joints must have a minimum of 80% of each post sitting directly on the skid and be secured with a continuous bead of weld around 80% of the circumference of the posts. Skids containing joints must be continuously welded along entire joint.
- 2.1.7.3. All sled system components, including welded joints if applicable, must be primed.
- 2.1.7.4. Provide for drainage to release of any moisture which may collect inside hollow posts.
- 2.1.7.5. Swings shall be placed in concrete footings or embedded in rock, as appropriate to the site; sled system is not acceptable for swings.
- 2.1.7.6. Any posts accommodating decks which are greater than 5'11" in height and not connected to the ground with a minimum of 3 elements, must be placed in concrete. Provide one 3/8" drainage hole at 1" from post bottom to release of any moisture which may collect inside hollow posts.

END OF ADDENDUM

